



Pc 60

BENCH TOP MULTIPARAMETER

Empowering Precision Elevating Research

PC 60

pH - mV - ORP - Cond - TDS - Salinity - Temperature - GLP - Data Logger

Features



GLP function: Date and time, recall of calibration data and function "Calibration due".



Data logger up to 1000 savings, manual and automatic, PC connect via micro-USB.



Data-Link software available from www.xsinstruments.com.



RS 232 external printer connection



Only **6 buttons** to easily manage all the functions of the instrument.



Connections COND 60 ViOLab



Data Sheet

	PC 60
pH Measuring range	-2...16,00
Resolution / Accuracy	0.1, 0.01 / ± 0.02
Calibration points	1...3 Auto + 2 custom
Buffer recognized	USA, NIST, 2 custom
DHS sensors recognition	Yes
mV Measuring range	-1000 ... +1900
Resolution	0.1 / 1
ORP Calibration point	1 point = 475 mV
COND Measuring range	0,00 ... 200 mS
Resolution	0,01 - 0,1 - 1 μ S / mS (automatic)
Accuracy	$\pm 2\%$ f.s.
Calibration points	1...5
Buffer recognized	84 μ S - 147 μ S -1413 μ S - 12,88 mS - 111,8 mS + 1 User
Reference temperature	15 ... 30 °C
Temperature coefficient	0,00 ... 10,00 % / °C
TDS Measuring range	0,1 mg/l ... 200 g/l
TDS Factor	0.40 ... 1.00
Salinity Measuring range	0,1 ppm ... 100 ppt
Temperature Measuring range	-10,0...110,0 °C
Resolution / Accuracy	0,1 / $\pm 0,5^{\circ}$ C
Temperature compensation	0,0...100,0 °C
System: GLP	Yes
Calibration due	Yes
Calibration point indication	Yes
Calibration report	Yes, printable
Stability filter	Low – Nor - High
Internal memory	1000 Data
Display	high definition backlight colored LCD
Brightness	Manual
IP protection	IP 54
Output	Micro USB and RS 232
Power supply	5 V power adapter
Electrical tension	100 ... 240 V
Working conditions	0 ... +45 °C
Dimensions / Weight	160 x 140 x 45 mm / 380 g

Visit Website



Connect with us
on LinkedIn



BOROSIL®
Scientific

1101, Crescenzo, G-Block, Opp. MCA Club,
Bandra Kurla Complex, Bandra (E), Mumbai - 400 051. India
T : +91 22 6740 6300 F : +91 22 6740 6514
E : borosil@borosil.com W : www.borosil.com

Pune Manufacturing Unit:
BOROSIL SCIENTIFIC LTD.
21-24, Plot No. 8, Indialand Global Industrial Park,
Hinjewadi Phase - 1, Pune - 411 057

Service Support:

✉ lab.support@borosil.com
☎ 1800-224-551